Serial #:

Γ

A & L LABORATORY

A Division of Granite State Analytical Services, LLC.

155 Center Street Bld C, P.O. Box 1507, Auburn, Maine 04211

(207) 784-5354

Reason for Testing: Personal Information Real Estate Transaction (If checked section below must be completed.)

Real Estate Transactions

If you are buying or selling a home, you cannot legally test for radon yourself. You must hire a Maine state registered radon tester. For a current list visit: http://www.MaineRadiationControl.org

State of Maine registration #_

Report To:

Fill out both boxes below. Failure to do so will delay reporting results.

Name

Property Address:

Name	Address	· · · · · · · · · · · · · · · · · · ·
Address	City	
City	CityState	Zip
State Zip	Phone	
Phone	Person Sampling:	
Email	Zip Code R	
Please enclose payment	in the amount of \$40.00 for an	air radon
Building Type: Residence A	partment Building Commercial Bu	ilding
Area Tested: Basement First Floo	or Second Floor Other	
Mitigation System: Yes / No (I	s there currently a system in place to ren	nove air radon?)
Start Date:	Start Time:	AM / PM
End Date:	End Timo:	AM / PM
	LIIU IIIIIE	
All inquiries require the test serial n	number. Please write down a coj	oy for your records.
All inquiries require the test serial n A & L Laboratory considers these results to be the this document. Hard copies of the results WILL No by providing A & L with the serial number. No in Vials <u>MUST</u> be sealed with original screw ca	number. Please write down a cop property of the person or institution named in the OT be forwarded to any other party. Verbal res aformation will be released wither verbally or in ap. DO NOT write or put tape anywher	by for your records. he "Report To" section of ults will be given out only writing without payment. e on the vial. Writing on
All inquiries require the test serial n A & L Laboratory considers these results to be the this document. Hard copies of the results WILL No by providing A & L with the serial number. No in Vials <u>MUST</u> be sealed with original screw ca the vial may cause the sample to be rejected	number. Please write down a cop property of the person or institution named in the OT be forwarded to any other party. Verbal rest information will be released wither verbally or in ap. <u>DO NOT</u> write or put tape anywher ed. <u>DO NOT</u> remove or tamper with the	by for your records. the "Report To" section of ults will be given out only writing without payment. e on the vial. Writing on serial number sticker.
All inquiries require the test serial n A & L Laboratory considers these results to be the this document. Hard copies of the results WILL No by providing A & L with the serial number. No in Vials <u>MUST</u> be sealed with original screw ca the vial may cause the sample to be rejecte Sample MUST be received and proces	number. Please write down a cop property of the person or institution named in the OT be forwarded to any other party. Verbal rest information will be released wither verbally or in ap. <u>DO NOT</u> write or put tape anywher ed. <u>DO NOT</u> remove or tamper with the	by for your records. the "Report To" section of ults will be given out only writing without payment. e on the vial. Writing on serial number sticker. m the collection time.
All inquiries require the test serial n A & L Laboratory considers these results to be the this document. Hard copies of the results WILL No by providing A & L with the serial number. No in Vials <u>MUST</u> be sealed with original screw ca the vial may cause the sample to be rejecte <u>Sample MUST be received and proces</u> <u>PLEASE READ INSTE</u>	number. Please write down a cop property of the person or institution named in the OT be forwarded to any other party. Verbal res information will be released wither verbally or in ap. <u>DO NOT</u> write or put tape anywher ed. <u>DO NOT</u> remove or tamper with the <u>ssed in the lab within 4 days from</u>	by for your records. the "Report To" section of ults will be given out only writing without payment. e on the vial. Writing on serial number sticker. m the collection time.
All inquiries require the test serial n A & L Laboratory considers these results to be the this document. Hard copies of the results WILL No by providing A & L with the serial number. No in Vials <u>MUST</u> be sealed with original screw ca the vial may cause the sample to be rejecte <u>Sample MUST be received and proces</u> <u>PLEASE READ INSTE</u>	aumber. Please write down a copering of the person or institution named in the OT be forwarded to any other party. Verbal rest formation will be released wither verbally or in ap. <u>DO NOT</u> write or put tape anywher ed. <u>DO NOT</u> remove or tamper with the ssed in the lab within 4 days from RUCTIONS ON THE REVERSE IT Laboratory Use Only	by for your records. the "Report To" section of ults will be given out only writing without payment. e on the vial. Writing on serial number sticker. m the collection time
All inquiries require the test serial n A & L Laboratory considers these results to be the this document. Hard copies of the results WILL No by providing A & L with the serial number. No in Vials <u>MUST</u> be sealed with original screw ca the vial may cause the sample to be rejecte <u>Sample MUST be received and proces</u> <u>PLEASE READ INSTE</u> For	aumber. Please write down a copering of the person or institution named in the OT be forwarded to any other party. Verbal rest formation will be released wither verbally or in ap. DO NOT write or put tape anywhered. DO NOT remove or tamper with the ssed in the lab within 4 days from RUCTIONS ON THE REVERSE r Laboratory Use Only Temperature [°C]:	by for your records. the "Report To" section of ults will be given out only writing without payment. e on the vial. Writing on serial number sticker. m the collection time.
All inquiries require the test serial n A & L Laboratory considers these results to be the this document. Hard copies of the results WILL No by providing A & L with the serial number. No in Vials <u>MUST</u> be sealed with original screw ca the vial may cause the sample to be rejecte Sample MUST be received and proces PLEASE READ INSTE For Date/Time Received:	aumber. Please write down a copering of the person or institution named in the OT be forwarded to any other party. Verbal rest formation will be released wither verbally or in ap. DO NOT write or put tape anywhere ed. DO NOT remove or tamper with the ssed in the lab within 4 days from AUCTIONS ON THE REVERSE IN Laboratory Use Only Temperature [°C]: Courier Drop Box D	by for your records. the "Report To" section of ults will be given out only writing without payment. e on the vial. Writing on serial number sticker. <u>m the collection time</u> <u>E SIDE</u>

A & L Laboratory 155 Center Street Bld C, P.O. Box 1507, Auburn, Maine 04211 (207) 784-5354

AIR RADON INSTRUCTIONS



It is ILLEGAL to test (collect) a residence or its water supply for radon if you neither own nor rent the home, UNLESS YOU ARE REGISTERED with the State of Maine Radon Program. Similarly, if you are in the process of buying or selling your home, you are also prohibited by Maine's "Radon Registration Act" from doing the testing yourself. You must hire a State of Maine Registered Radon Tester. Post mitigation (system verification) testing can be conducted by the homeowner or resident of the structure after install of a new system. For a current list of state registered testers and mitigators visit:

https:/www.maine.gov/dhhs/mecdc/environmental-health/rad/radon/hp-radon.htm.

DO NOT open the vial until you have read these instructions! PLEASE SAVE ALL PACKAGING. It will be used to return the vial. If you have any question, please call (207) 784-5354.

The initial test should be made under closed house conditions. All doors and windows shall be closed 12 hours before the test begins and remain closed (except for normal entry and exit) for the duration of the exposure. Turn off all whole house exhaust fans and minimize the use of kitchen and bathroom fans during the test.

Place vial in the lowest livable area of the home. The basement (or cellar) is considered "livable" if only usual renovation would be needed to convert it into living space. DO NOT PLACE THE VIAL IN CRAWL SPACES, BASEMENTS UNDER 6 FT IN HEIGHT, KITCHENS OR BATHROOMS. Avoid placement near doors, windows, fireplaces and outside walls.

Instructions for Use

Vials <u>MUST</u> be sealed with original screw cap. <u>DO NOT</u> write or put tape anywhere on the vial. Writing on the vial may cause the sample to be rejected. <u>DO NOT</u> remove or tamper with the serial number sticker.

- 1. Place the vial in the area chosen for the test and remove the cover. Keep the screw cover near the vial.
- 2. Place the vial on a chair or table 20-30 inches off the floor where it will not be disturbed for the duration of the sampling period (48 -96 hours). DO NOT PLACE THE VIAL ON THE FLOOR.
- 3. Using the reverse side of this form, record the date and time that the vial is opened.
- 4. Keep the vial open for a minimum of 48 hours (2 days) no longer than 4 days. At the end of the test period, close the vial with the original screw cap.
- 5. Complete the information requested on the reverse side of this sheet.
- 6. BE SURE TO RECORD THE DATE AND TIME THAT THE VIAL WAS OPENED AND CLOSED. FAILURE TO INCLUDE THIS INFORMATION COULD SERIOUSLY DELAY YOUR RESULTS.
- 7. Place the closed vial and the chain of custody sheet back in the original package. Enclose a check for the cost of the test and attach the laboratory's address label to the outside of the package. Mail the package within 24 hours of completing the test. Sample(s) need to be received and processed within 4 days of completing the test. Take into consideration weekends and holidays when sampling and mailing the vial. For proper delivery bring your sample inside the post office or one of our partner **UPS Store** locations listed on our website:

A & L Laboratory uses test methods approved by the State of Maine and the United States Environmental Protection Agency. We assume that all information regarding this test is the same as indicated on the reverse side of this sheet.

Any questions, comments, or complaints concerning individuals or firms providing radon services in Maine should be directed to: Radiation Control Program State House #11 Augusta, ME 04333-0010 (207) 287-5676. The State of Maine requires the reporting of radon test results in accordance with the Act (22 MRSA sec. 771 et seq.) The following information for all tests completed by A & L Laboratory will be reported to the state on a monthly basis: Zip code, sample ID#, radon laboratory result, floor tested, street address of the building, town and if there is a mitigation system currently installed.

Free Shipping Locations for A & L Laboratory

Simply visit any of the following locations and drop off your water sample sealed in the supplied bubble mailer or box. The packages collected throughout the day will be shipped to us overnight for processing the next day. **The best part ...no charge to you!**

Augusta	Bangor	Bridgton	Brunswick
Maine Water Utilities	The UPS Store	Mountain Mini Storage	The UPS Store
15 University Drive	499 Broadway	408 Harrison Road	135 Maine Street
207-623-9511	207-947-9999	207-647-2261	207-729-9891
Monday - Friday: until 5:00 pm	Monday – Thursday: 8:00 am until 5:00 pm Friday: 8:00 am until 4:30 pm	Monday – Thursday: 9:00 am until 2:30 pm No Friday shipping available	Monday – Thursday: 8:00 am until 4:15 pm Friday: 8:00 am until 3:45 pm
Ellsworth	White B Weter Orality	Vitestill Farmington	Vite Freeport
The UPS Store	Air & Water Quality	Burns Well Drilling	Air & Water Quality
138 High Street	388 Bangor Road	280 Wilton Road	160 US ROUTE 1,
207-667-7601	207-664-5200	207-778-3813	207-865-9200
Monday – Thursday: 8:00am until 4:45 pm Friday: 8:00 am until 2:30 pm	Monday-Friday: 8:00am until 4:00 pm	Monday-Friday : 7:00 am until 1:00 pm	Monday – Friday: 8:00 am until 5:00 pm
Rockland	<u>Rockland</u>	<u>Saco</u>	<u>Skowhegan</u>
Haskell's Water Treatment	The UPS Store	The UPS Store	Quinn Hardware
46 Farwell Drive	235 Camden Street #32	4 Scammon Street	125 Waterville Rd
207-594-4947	207-594-4200	207-282-1011	207-474-3449
Monday – Friday: 8:00 am until 2:30 pm	Monday – Thursday: 8:00 am until 5:30 pm Friday: 8:00 am until 3:00 pm	Monday - Friday: 8:00 am until 4:30 pm	Monday – Thursday: 7:30 am until 4:00 pm No Friday shipping available
South Portland	Varmouth	<u>Waterville</u>	<u>Windham</u>
The UPS Store	Water Treatment Equipment	The UPS Store	The UPS Store
405 Western Ave	915 US Route 1	325 Main Street	824 Roosevelt Trail
207-871-9355	207-846-5061	207-877-7867	207-892-6024
Monday - Friday: 7:30 am until 5:30 pm	Monday – Friday: 7:00 am until 5:00 pm	Monday - Thursday: 8:00 am until 4:45 pm Friday: 8:00 am until 3:30 pm V locations have those too!	Monday – Thursday: 7:30 am until 4:30 pm Friday: 7:30 am until 4:00 pm

Need test kits? Many locations have those too!

Shipments from these locations provided by Uniship Courier Services are hand delivered to our laboratory overnight.

Water quality, water radon and air radon test kits are available at most of the above locations.

Note: Friday samples through The UPS Stores will be shipped through United States Postal Service for Saturday delivery.